

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
7 October 2004 (07.10.2004)

PCT

(10) International Publication Number
WO 2004/086208 A2

(51) International Patent Classification⁷: **G06F 3/00**

2HF (GB). GILLIES, Marco [GB/GB]; 19A St Matthews Street, Ipswich, Suffolk IP1 3EL (GB).

(21) International Application Number:
PCT/GB2004/001301

(74) Agent: LLOYD, Barry, George, William; BT Group Legal Intellectual Property Department, PPC5A, BT Centre, 81 Newgate Street, London, Greater London EC1A 7AJ (GB).

(22) International Filing Date: 25 March 2004 (25.03.2004)

(25) Filing Language: English

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(26) Publication Language: English

(30) Priority Data:
0306875.6 25 March 2003 (25.03.2003) GB

(71) Applicant (for all designated States except US): **BRITISH TELECOMMUNICATIONS PUBLIC LIMITED COMPANY** [GB/GB]; 81 Newgate Street, London, Greater London EC1A 7AJ (GB).


(72) Inventors; and

(75) Inventors/Applicants (for US only): **BALLIN, Daniel** [GB/GB]; Flat 5, 65 London Road, Ipswich, Suffolk IP1

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,

[Continued on next page]

(54) Title: APPARATUS AND METHOD FOR GENERATING BEHAVIOUR IN AN OBJECT



(57) Abstract: A hierarchical behavioural framework is used to generate and control autonomous and semi-autonomous behaviour in an articulate object. A behavioural controller is arranged to receive input associated with a behavioural action, to infer a plurality of behavioural parameter values using the framework, and to generate equivalent behaviour in the articulate object using the parameter values when loaded in the behavioural controller to generate output corresponding to the equivalent behaviour. The equivalent behaviour may reproduce the inputted behavioural action, and /or comprise one or more other behavioural actions, which may be performed simultaneously or as part of a sequence of actions.



GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*